

From the 8/27/2021 release of VAERS data:

### Found 650,077 cases where Vaccine is COVID19

Table		
Event Outcome	Count	Percent
Death	13,911	2.14%
Permanent Disability	18,098	2.78%
Office Visit	103,836	15.97%
Emergency Room	57	0.01%
Emergency Doctor/Room	76,103	11.71%
Hospitalized	56,743	8.73%
Hospitalized, Prolonged	169	0.03%
Recovered	212,734	32.72%
Birth Defect	405	0.06%
Life Threatening	14,327	2.2%
Not Serious	274,215	42.18%
<b>TOTAL</b>	<b>† 770,598</b>	<b>† 118.54%</b>

† Because some cases have multiple vaccinations and symptoms, a single case can account for multiple entries in this table. This is the reason why the Total Count is greater than 650077 (the number of cases found), and the Total Percentage is greater than 100.

CDC: teens injected with COVID shots have 7.5 times more deaths, 15 times more disabilities, 44 times more hospitalizations than all FDA approved vaccines in 2021

**DANIEL HOROWITZ August 25, 2021**

The CDC did another data dump into their Vaccine Adverse Event Reporting System (VAERS) database today. As of August 27, 2021 there have been 13,911 deaths, 2,933,377 injury symptoms, 18,098 permanent disabilities, 76,160 ER visits, 56,912 hospitalizations, and 14,327 life threatening events recorded following experimental COVID-19 “vaccinations.”

There have now been more than twice as many deaths recorded following COVID-19 shots during the past 9 months since the COVID-19 shots were given emergency use authorization, than deaths recorded following ALL vaccines for the past 30 years.

From January 1, 1991 to November 30, 2020, the last month before the COVID shots were given emergency use authorization, there were only a total of 6,068 deaths recorded (mostly infant babies) following ALL vaccines. (Source.)

And yet, the CDC continues to push everyone to get a COVID-19 shot.



Source.

There have also now been 1,490 recorded fetal deaths following COVID-19 injections of pregnant women.

By way of contrast, I performed the same search in the VAERS database for fetal deaths due to the flu shots, and for 2021 so far there are ZERO. For last year, 2020, there were 16 fetal deaths following flu shots taken by pregnant women. (Source.)

And yet, the CDC continues to recommend that pregnant women get a COVID-19 shot.

<b>Comparison of Vaccine Deaths &amp; Injuries Among Teens Age 12 through 19 in 2021</b>	
<b>Experimental COVID Shots</b>	<b>ALL FDA-Approved Vaccines</b>
<b>Deaths: 30</b>	<b>Deaths: 4</b>
<b>Permanent Disabilities: 173</b>	<b>Permanent Disabilities: 11</b>
<b>Emergency Room Visits: 3575</b>	<b>Emergency Room Visits: 78</b>
<b>Hospitalized: 1603</b>	<b>Hospitalized: 36</b>
<b>Life Threatening: 316</b>	<b>Life Threatening: 13</b>
<b>Blood Clots (thrombosis): 84</b>	<b>Blood Clots (thrombosis): 3</b>

As I reported yesterday, the COVID-19 shots seem to be killing and crippling teenagers in record numbers.

I expanded the search today to include the new data that just came out today, and to include age 12 through age 19.

The search returned the following results for this age group following COVID-19 shots: 30 deaths, 173 permanent disabilities, 3575 ER visits, 1603 hospitalizations, and 316 life threatening events. (Source. Note that the search separates 12-17 year olds, and 17-44 year olds, although we only searched through age 19, so you need to add the two tables together to get the numbers in the graph above.)

Next, I searched the exact same age group, for the same time period (December 2020 through the most recent data dump today), and excluded COVID-19 shots but included every other vaccine listed. They include these vaccines:

6VAX-F	DTIPV	FLUN(H1N1)	HPV4	MNC	RV5
ADEN	DTOX	FLUN3	HPV9	MNQ	RVX
ADEN_4_7	DTP	FLUN4	HPVX	MNQHIB	SMALL
ANTH	DTPHEP	FLUR3	IPV	MU	SSEV
BCG	DTPHIB	FLUR4	JEV	MUR	TBE
CEE	DTPIHI	FLUX	JEV1	OPV	TD
CHOL	DTPIPV	FLUX(H1N1)	JEVX	PER	TDAP
DF	DTPPHIB	H5N1	LYME	PLAGUE	TDAPIPV
DPIPV	EBZR	HBHEPB	MEA	PNC	TTOX
DPP	FLU(H1N1)	HBPV	MEN	PNC10	TYP
DT	FLU3	HEP	MENB	PNC13	UNK
DTAP	FLU4	HEPA	MENHIB	PPV	VARCEL
DTAPH	FLUA3	HEPAB	MER	RAB	VARZOS
DTAPHEPBIP	FLUA4	HEPATYP	MM	RUB	YF
DTAPIPV	FLUC3	HIBV	MMR	RV	
DTAPIPVHIB	FLUC4	HPV2	MMRV	RV1	

These are ALL the vaccines listed in VAERS, minus the 3 COVID shots. Some of them are no longer in use, and many of these teenagers do not get.

But this list DOES represent every other vaccine teenagers get, and we know that pre-COVID the largest amounts of deaths and injuries followed the Gardasil HPV vaccines, and the yearly flu shots for this age group.

So from all these vaccines that include every non-COVID shot that teenagers have received this year so far, there have been 4 deaths, 11 permanent disabilities, 78 ER visits, 36 hospitalizations, and 13 life threatening events during the same time period as the COVID-19 shots were administered. (Source. Note that the search separates 12-17 year olds, and 17-44 year olds, although we only searched through age 19, so you need to add the two tables together to get the numbers in the graph above.)

This means that COVID-19 shots given to our teenagers have 7.5 X more deaths, 15 X more disabilities, and 44 X more hospitalizations than all other FDA-approved vaccines COMBINED that these teenagers are receiving.

I also did a search for ALL cases of “thrombosis” (blood clots), for both COVID shots and for all other vaccines, and cases of blood clots were 28 times higher among teens injected with COVID-19 (source) than for teens injected with all other vaccines during the same time period (source).

Someone from the pro-vaccine crowd might try to explain this all away by saying that many more teens have been injected with COVID-19 shots than other vaccines, but if they make that claim, make sure they prove it with real statistics, because I don't believe that is possible.

We know, for example, that 12 to 15-year-olds did not start receiving COVID-19 shots until May this year.

Also, flu shots actually increased last year, which would have included the month of December which these reports cover, and flu shot sales would have been strong in the winter months beginning this year.

And sales of Merck's Gardasil were up 44% during the first quarter of this year, 2021. (Source.) Gardasil is a two-dose or three-dose vaccine.

According to the CDC immunization schedule, this age group also gets the Tdap and Meningococcal (two doses) vaccines. These shots are required for public school attendance, unless you have a state-approved exemption.

So a teenager in this age group that is following the CDC immunization schedule could be getting 6 other injections, in addition to a one-dose or two-dose COVID-19 injection.

These COVID-19 shots are having a devastating effect on our teenagers, and yet not only does the CDC and FDA continue to promote them for teenagers, they are set to approve the COVID-19 shots for infants and children next.